

109086-1201

100

110

[illegible]

FIRST  
OPERATING  
PARAMETER

|   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |   |
|   | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |   |


SECOND  
OPERATING  
PARAMETER

Fig. 1  
Prior Art

**BEST AVAILABLE COPY**

250

StartPoint=( 1.95000, 3.50000)  
 HorizontalStepSize= 0.05000      VerticalStepSize= 0.05000  
 HorizontalRange - 1.00000 - 2.60000      VerticalRange - 2.00000 - 4.60000



Second  
Operating  
Parameter

220

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 5 | 5 | 6 | 6 | 7 | 7 | 8 | 8 | 9 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 |
| 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

First Operating Parameter

Points Tested - 130      210

Fig. 2

BEST AVAILABLE COPY

10028039-12001





Fig. 3

BEST AVAILABLE COPY



BEST AVAILABLE COPY

Fig. 4